

Choose Ultra Fast or Ultra Quiet



Hand Dryers

TOUCHLESS AUTOMATIC ULTRA QUIET & HIGH-SPEED



- > High-Speed Ultronic[™]
- > Ultra Quiet Galaxy[™]
- > Five-Year Warranty
- Contemporary Design
- > Rugged Construction
- › Advanced Touchless Technology
- > Save the Environment and Your Budget

800.582.8423

www.stiebel-eltron-usa.com

Stylish, quiet and fast hand dryers to complement any restroom

Save money, save trees, and promote good hygiene with the contemporary-styled hand dryers from Stiebel Eltron.

Touchless Operation | An infrared proximity sensor turns the unit on and off automatically. Place your hands underneath the unit, and the dryer is activated. Take your hands away, and the dryer stops running, minimizing the use of electricity compared to a unit that runs for a predetermined time. This saves energy and operating costs!

Fast Drying | A careful selection of air temperature and air speed dries hands quickly every time! Depending upon individual preferences, drying time is within 30 seconds for a Galaxy[™] model and 15 seconds for an Ultronic[™] model.

Elegant Design | Often described as sophisticated, the sleek European designs complement any restroom environment. The contemporary rounded housing prevents objects from being placed on the unit and damaging its surface.

Rugged Construction | Both the Galaxy[™] and Ultronic[™] come in 120 Volt and 208/240 Volt models. Ultronic[™] models all feature cast aluminum housings in two color choices: Alpine White or Stainless Steel. Galaxy[™] models are available in both a cast aluminum housing, recommended for high traffic areas, or a rugged ABS polycarbonate, for light to medium traffic areas. Both housings come in Alpine White, but aluminum Galaxy[™] models are available in an optional Charcoal Gray or Silver Metallic also. All of the three attractive standard colors complement any washroom environment.

Quiet, Trouble Free Operation | With a noise level of only 53 dB, the Galaxy[™] is one of the quietest hand dryers on the market. The Ultronic[™] is remarkably quiet for a high speed hand dryer at only 82 dB. The Galaxy[™] has a brushless motor for an exceptionally long service life. Both the Galaxy[™] and Ultronic[™] are backed by an industry-leading five-year warranty.

Easy Installation | Installation is easy for either model. The cover is simple to remove. Once it is removed, the electric wire is threaded through the knock-out in the back of the unit. The unit is mounted to the wall with four fasteners and the electric wire is connected to the wiring block. The unit is ready for operation once the cover is back in place.



Typical applications include:

- > Restaurants
- > Office Buildings
- > Banks
- > Hospitals
- > Schools
- > Professional Offices
- > Hotels
- > Malls
- > Department Stores
- > Gasoline Service Stations
- > Prisons
- > Airports
- > Athletic Stadiums



No more paper towel costs or messes.

STIEBEL ELTRON

Make an environmentally sound decision to save trees and energy, while putting an end to the paper towel mess in your washrooms.

Hand dryers make good business sense and pay for themselves in a few months. Eliminate the cost of purchasing and restocking paper towels and reduce waste removal costs.

Built by Stiebel Eltron, a world leading manufacturer of technically superior products, Galaxy[™] and Ultronic[™] touchless automatic hand dryers embody a proud tradition of quality and workmanship to deliver maximum value, efficiency, and reliability.

Complete warranty online.



Touchless Hand Dryers Save Money!

STIEBEL ELTRON Touchless Hand Dryer

Cost per 100 hand dries

\$0.07

Paper Towels

Cost per 100 hand dries

^{\$}3.34

C-fold Paper Towels costs	Cost per 100 Hand Dries	Electricity cost per kWh	Cost per 100 Hand Dries
^{\$} 32.00	^{\$} 2.67	^{\$} 0.05	^{\$} 0.04
^{\$} 36.00	\$3.00	^{\$} 0.07	^{\$} 0.06
^{\$} 40.00	^{\$} 3.34	^{\$} 0.09	^{\$} 0.07
^{\$} 44.00	^{\$} 3.67	^{\$} 0.11	^{\$} 0.09
^{\$} 48.00	^{\$} 4.00	^{\$} 0.13	^{\$} 0.11

Cost of drying with paper towels was calculated using 2 towels per each dry (total of 200 paper towels) with a 2400 towel carton. Touchless hand dryer cost was calculated for the Galaxy[®] hand dryer at 30 seconds per dry. When making the above comparison, some cost factors in connection with paper towels were not taken into account since they are hard to quantify. However, these additional costs tip the scale even more in favor of a Stiebel Eltron hand dryer.

> Labor costs involved in purchasing and restocking paper towel holders

- > Labor costs due to having to check paper towel holders periodically
- > Added trash removal costs due to paper towel waste
- > Clean-up of paper towel litter on floors and in toilet bowls

All these added costs are eliminated after making a small initial investment in Stiebel Eltron hand dryers.

Galaxy[™] Ultra Quiet | Touchless Automatic Hand Dryer

MADE IN THE USA





Galaxy[™] Alpine White

Galaxy[™] M Alpine White

STIEBEL ELTRO



Galaxy[™] M Charcoal Gray Metallic



Galaxy[™] M Silver Metallic



Ultronic[™] W Alpine White Ultronic[™] S Stainless Steel Metallic

Engineering & Manufacturing Excellence

Simply the Best

ISO 9001

STIEBEL ELTRON

Technical Data

Œ.

Galaxy[™]: Conforms to ANSI/UL Std. 499 Certified to CAN/CSA Std. 22.2 No. 36 Ultronic[™]: Conforms to ANSI/UL Std. 507 Certified to CAN/CSA C22.2 No. 113

Hand Dryer Model	Galaxy [™] 1	Galaxy [™] M 1	Galaxy [™] 2	Galaxy [™] M 2	Ultronic [™] 1 S	Ultronic [™] 1 W	Ultronic [™] 2 S	Ultronic [™] 2 W
Item number	073009	073724	073010	073725	231584	231585	231586	231587
ELECTRICAL DATA								
Phase - 60/50 Hz	single	single	single	single	single	single	single	single
Voltage	120 v	120 v	240 v or 208 v	240 v or 208 v	120 v	120 v	240 v or 208 v	240 v or 208 v
Wattage	1850 w	1850 w	2000 w 1500 w	2000 w 1500 w	985 w	985 w	1000 w 775 w	1000 w 775 w
Amperage	15.42 A	15.42 A	8.34 A 7.21 A	8.34 A 7.21 A	8.5 A	8.5 A	4.3 A 3.85 A	4.3 A 3.85 A
Required circuit breaker size ¹	20 A	20 A	15 A	15 A	15 A	15 A	15 A	15 A
Required wire size ²	12 AWG	12 AWG	12 AWG	12 AWG	14 AWG	14 AWG	14 AWG	14 AWG
DIMENSIONS								
Height	9 ¹³ /16 [″] /25.0 cm	10 ¹ /2 ["] /26.6 cm	9 ¹³ /16″/25.0 cm	101⁄2″/26.6 cm	11³/8″/28.9 cm	11³/8″ / 28.9 cm	11³/8″/28.9 cm	11³/8″ / 28.9 cm
Width	6 ⁷ /8″/17.5 cm	6 ⁷ /8″/17.5 cm	6 ⁷ /8″ / 17.5 cm	6 ⁷ /8″/17.5 cm	10 1/8″ / 25.7 cm	10 ¹ /8″ / 25.7 cm	10 ¹ /8″/25.7 cm	10 ¹ /8″ / 25.7 cm
Depth	9 ¹ /16″/23.0 cm	9 1/16″ / 23.0 cm	9 1/16″ / 23.0 cm	9 ¹ /16 ["] /23.0 cm	9 ³ /16″ / 23.4 cm	9 ³ /16″ / 23.4 cm	9 ³ / ₁₆ ″ / 23.4 cm	9 ³ /16″/23.4 cm
WEIGHT								
Weight	5.5 lb/2.5 kg	8.8 lb/4.0 kg	5.5 lb/2.5 kg	8.8 lb/4.0 kg	9.7 lb/4.4 kg	9.7 lb/4.4 kg	9.7 lb/4.4 kg	9.7 lb/4.4 kg
CONSTRUCTION								
Color	Alpine White	Alpine White Optional: Charcoal Gray Silver Metallic	Alpine White	Alpine White Optional: Charcoal Gray Silver Metallic	Stainless Steel	Alpine White	Stainless Steel	Alpine White
Housing	ABS polycarbonate	Cast aluminum	ABS polycarbonate	Cast aluminum	Cast aluminum	Cast aluminum	Cast aluminum	Cast aluminum
Degree of protection (IP)	IP 23	IP 23	IP 23	IP 23	IP 23	IP 23	IP 23	IP 23
OTHER								
Sound level	53 dB(a)	53 dB(a)	53 dB(a)	53 dB(a)	82 dB(a)	82 dB(a)	82 dB(a)	82 dB(a)
Air speed	NA	NA	NA	NA	210 mph/94 m/s	210 mph/94 m/s	210 mph/94 m/s	210 mph/94 m/s
Air volume	90.0 CFM	90.0 CFM	95.0 CFM	95.0 сғм	170.7 CFM	170.7 CFM	170.7 сғм	170.7 сғм
Drying time	30 seconds	30 seconds	30 seconds	30 seconds	15 seconds	15 seconds	15 seconds	15 seconds

¹ This is our recommendation as the manufacturer. Check local codes for compliance if necessary. ² Copper must be used

Distributed by:

Stiebel Eltron has been a world leader in the development of advanced water heating technology for almost 90 years. Our pursuit of engineering excellence and high-quality manufacturing results in products fulfilling the highest expectations of performance and reliability. They are...**Simply the Best.**



17 West Street West Hatfield, MA 01088

TOLL FREE 800.582.8423 PHONE 413.247.3380 FAX 413.247.3369 info@stiebel-eltron-usa.com www.stiebel-eltron-usa.com Printed on recycled chlorine-free paper with soy-based inks. #10-5.2018