PVC-DWV PIPE & FITTINGS

Poly Vinyl Chloride (PVC) DWV pipe and fittings are used for drain, waste, and vent applications.



Sch. 40 PVC DWV Pipe

- Dual rated for pressure (ASTM D1785) and drainage (ASTM D2665) applications
- NSF Listed

Sch. 40 Cellular Core PVC DWV Pipe

- Meets ASTM F891
- NSF Listed

DR-24 DWV Pipe

- Meets ASTM F1488
- Use with Sch. 40 DWV Fittings
- NSF Listed

Sch. 40 DWV Fittings

- Meets ASTM D2665
- NSF Listed

- Pipe diameters are the same as iron pipe. (IPS = Iron Pipe Size)
- Solvent weld joints
- Sch. 40 PVC, meeting ASTM D 2665 or F 891, is permitted by all major model plumbing codes. DR-24 pipe, meeting ASTM F1488, is permitted by the International Plumbing Code (IPC) and International Residential Code (IRC).
- Solvent welding vinyl pipe and fittings is a permanent process. To eliminate costly errors, Genova pipe features a plumb line as a reference mark relative to the degree marks on Genova fittings.

Phone: 1-800-521-7488 or (810) 744-4500

Fax: (810) 744–3130

Email: inquiry@genovaproducts.com

Hours: 8 AM to 5 PM EST Monday - Friday

SCH. 40 PVC-DWV PIPE





Note: Be sure to order by the length not by the foot.

Part #	Size		PSI	Bdl Qty (lgths)	Skid Qty (lgths)	Bdl Wt (lbs)
70011	1½" x 10'		330	5	180	27
70012	1½" x 20'		330	5	90	53
70015	1½" x 5'		330	5	180	13
700112	1½" x 2'		330	5	180	5
70021	2" x 10'		280	5	140	35
70022	2" x 20'		280	5	70	70
70025	2" x 5'		280	5	140	17
700212	2" x 2'		280	5	140	7
70031	3" x 10'		260	5	75	72
70031B	3" x 10'	Belled	260	5	75	72
70032	3" x 20'		260	5	50	144
70032B	3" x 20'	Belled	260	3	48	86
70035	3" x 5'		260	5	75	36
700312	3" x 2'		260	5	75	14
70041	4" x 10'		220	3	54	61
70041B	4" x 10'	Belled	220	3	54	61
70042	4" x 20'		220	3	36	122
70042B	4" x 20'	Belled	220	3	36	124
70045	4" x 5'		220	3	54	30
700412	4" x 2'		220	3	54	12
70061	6" x 10'		180	1	24	37
70061B	6" x 10'	Belled	180	1	24	37
70062	6" x 20'		180	1	24	73
70062B	6" x 20'	Belled	180	1	24	73

SCH. 40 PVC-DWV CELLULAR CORE PIPE

Note: Be sure to order by the length not by the foot.

Part #	Size	•	Bdl Qty (lgths)	Skid Qty (lgths)	Bdl Wt (lbs)
70011F	1½" x 10'		5	180	18
70012F	1½" x 20'		5	90	36
70015F	1½" x 5'		5	180	9
700112F	1½" x 2'		5	180	4
70021F	2" x 10'		5	140	22
70022F	2" x 20'		5	70	44
70025F	2" x 5'		5	140	11
700212F	2" x 2'		5	140	4
70031F	3" x 10'		5	75	53
70031FB	3" x 10'	Belled	5	75	53
70032F	3" x 20'		5	50	105
70032FB	3" x 20'	Belled	5	50	105
70035F	3" x 5'		5	75	25
700312F	3" x 2'		5	75	10
70041F	4" x 10'		3	54	44
70041FB	4" x 10'	Belled	3	54	44
70048FB	4" x 10'	Perf/ Belled	3	54	44
70042F	4" x 20'		3	36	88
70042FB	4" x 20'	Belled	3	36	88
70045F	4" x 5'		3	54	22
700412F	4" x 2'		3	54	9
70061F	6" x 10'		1	24	50
70061FB	6" x 10'	Belled	1	24	50
70062F	6" x 20'		1	24	50
70062FB	6" x 20'	Belled	1	24	50

DR-24 PVC-DWV PIPE

Note: Be sure to order by the length not by the foot. N= non-bundled

Part #	Size	Bdl Qty (lgths)	Skid Qty (lgths)	Bdl Wt (lbs)
79011	1½" x 10'	3	180	15
79012N	1½" x 20'		90	
79021	2" x 10'	5	140	24
79022N	2" x 20'		70	
79031	3" x 10'	5	75	44
79032N	3" x 20'		50	
79041	4" x 10'	3	54	41

COUPLING (HUB X HUB)



Used to join straight lengths of pipe.

Part #	Size	Pkg Qty	Box Qty	Box Wt
70114	11/4"		50	5
70115	11/2"	20	100	11
70120	2"	20	100	15
70130	3"		20	11
70140	4"		10	9
70160	6"		1	2

REPAIR COUPLING (NO STOP) (HUB X HUB)



Furnished without center stop so that stationary lengths of pipe can be spliced together.

Part #	Size	Pkg Qty	Box Qty	Box Wt
70116	11/2"	20	100	10
70122	2"	20	100	16
70133	3"		20	10
70144	4"		10	9

REDUCING COUPLING (HUB X HUB)



Used to reduce or increase pipe sizes.

Part #	Size	Pkg Qty	Box Qty	Box Wt
70121	2" x 1½"	20	100	16
70131	3" x 1½"		20	9
70132	3" x 2"		20	9
70142	4" x 2"		20	16
70143	4" x 3"		20	18
70164	6" x 4"		4	9

CAP (HUB)



Used for permanently or temporarily capping pipe.

Part #	Size	Pkg Qty	Box Qty	Box Wt
70151	11/2"	20	100	9
70152	2"	20	100	12
70153	3"		20	9
70154	4"		10	8
70156	6"	1	10	20

REDUCING BUSHING (SPIGOT X HUB)



Inserts into fitting hub to reduce to smaller pipe size.

Part #	Size	Pkg Qty	Box Qty	Box Wt
70211	1½" x 1¼"		50	3
70224	2" x 11/4"	10	70	8
70221	2" x 1½"	20	100	8
70231	3" x 1½"		20	8
70232	3" x 2"		20	9
70242	4" x 2"		10	7
70243	4" x 3"		10	6
70264	6" x 4"	1	10	19

FLUSH REDUCING BUSHING (SPIGOT X HUB)



Adapts 4" fitting hub to 3" pipe.

Part #	Size	Box Qty	Box Wt
76243	4" x 3"	10	6

ADAPTER BUSHING

(DWV SPIGOT X S & D HUB)



Adapts Sch. 40 fitting hub to sewer pipe.

Part #	Size	Box Qty	Box Wt
75340	4"	25	6

ADAPTER BUSHING

(S & D SPIGOT X DWV HUB)



Adapts Sch. 40 pipe to sewer fitting hub.

Part #	Size	Box Qty	Box Wt
74243	4" x 3"	20	9

SEWER PIPE ADAPTER COUPLING

(SEWER HUB X SCH. 40 HUB)



Adapts Sch. 40 pipe to 4" sewer pipe.

Part #	Size	Box Qty	Box Wt
71543	4" x 3"	20	12
71544	4" x 4"	10	7

FEMALE ADAPTER (HUB X FIP)



Adapts to standard male pipe threads. PTFE thread tape is recommended for threaded joints.

Size	Pkg. Qty.	Box Qty	Box Wt
1½" x 1¼"	20	100	11
11/4"		50	6
1½"	20	100	12
2"	20	100	17
3"		20	12
4"		10	9
6"	1	10	20
	1½" x 1¼" 1½" 1½" 2" 3" 4"	1½" x 1¼" 20 1½" x 1½" 20 2" 20 3" 4"	Size Qty. Qty 1½" x 1¼" 20 100 1½" 50 1½" 20 100 2" 20 100 3" 20 4" 10

MALE ADAPTER (HUB X MIP)



Adapts to standard female pipe threads. PTFE thread tape is recommended for threaded joints.

Part #	Size	Pkg. Qty.	Box Qty	Box Wt
70414	11/4"		50	5
70411	1½" x 1¼"	20	100	10
70415	1½"	20	100	9
70420	2"	20	100	14
70430	3"		20	9
70440	4"		10	8

HUB ADAPTER (SPIGOT X HUB)



Adapts cast iron
HUB to sch. 40
DWV pipe

Joined to cast iron with oakum and poured lead/lead substitute. Bushing (# 70232) provided to reduce to 2".

Part #	Size	Box Qty	Box Wt
70521	2" x 1½	20	7
70520	2" x 2"	25	9
70530	3" x 3"	20	16
70543	4" x 3"	20	19
70540	4" x 4"	10	13

NO-HUB* ADAPTER (HUB X SPIGOT)



Provides a proper method of adapting from no-hub cast iron pipe utilizing the standard no-hub clamp ring.
*No-Hub is a registered trademark of the Cast Iron Soil Pipe Institute.

Part #	Size	Pkg. Qty.	Box Qty	Box Wt
72120	2"	20	100	17
72130	3"		20	8
72140	4"		10	7

CAST IRON PIPE SPIGOT ADAPTER

(HUB X HUB)



This fitting adapts Genova Sch. 40 pipe to 4" cast iron spigot and can be joined to cast iron with oakum and poured lead or poured lead substitute.

Part #	Size	Box Qty	Box Wt
71730	3"	10	9
71740	4"	10	13

TRAP ADAPTER (HUB X SLIP JAMNUT)



Utilized to adapt PVC pipe to tubular traps at wall or floor. Utilizes special washer which seals to either 1%" or 1%" tubular products, reducing the number of SKU's needed in inventory. This fitting solvent welds over a 1%" DWV pipe. Sometimes called a Marvel.

* Dynamic Duo feature.

Part #	Size	Pkg Qty	Box Qty	Box Wt
72211*	1½" x 1¼"/1½"	20	100	13
72215	1½" x 1½"	20	100	12

FITTING TRAP ADAPTER

(SPIGOT X SLIP JAMNUT)



Adapts PVC fitting hub to tubular traps at wall or floor. Utilizes special washer which seals to either $1\frac{1}{2}$ " or $1\frac{1}{4}$ " tubular products, reducing the number of SKU's needed in inventory. This fitting solvent welds into a $1\frac{1}{2}$ " DWV fitting hub. Sometimes called a Marvel. * Dynamic Duo feature.

Part #	Size	9	Box Qty	
72311*	1½" x 1¼"/1½"	20	100	14

20

100

13

FITTING ADAPTER (SPIGOT X MIP)

1½" x 1½"



72315

Adapts fitting hub to standard female pipe threads. PTFE thread tape is recommended for threaded joints.

Part #	Size	Pkg Qty	Box Qty	Box Wt
72411	1½" x 1¼"	20	100	9
72415	1½"	20	100	10
72420	2"	20	100	14

22½° ELBOW (HUB X HUB)



Used to change direction in piping. Sometimes called a "Sixteenth Bend".

Part #	Size	Pkg Qty	Box Qty	Box Wt
70815	1½"	20	100	16
70820	2"		20	5
70830	3"		20	16
70840	4"		10	13
70860	6"		5	12

22½° STREET ELBOW (HUB X SPIGOT)



Used to change direction in piping. Sometimes called a "Street Sixteenth Bend".

Part #	Size	Pkg Qty	Box Qty	Box Wt
75815	1½"	20	100	14
75820	2"		20	4
75830	3"		20	14
75840	4"		10	12

45° SANITARY ELBOW (HUB X HUB)



Used to change direction in piping. Sometimes called an "Eighth Bend".

Part #	Size	Pkg Qty	Box Qty	Box Wt
70614	11/4"		50	9
73615	1½"	20	100	22
73620	2"	20	100	32
70630	3"		20	20
70640	4"		10	18
70660	6"		1	4

45° ELBOW (HUB X HUB)



Used to change direction in piping. Sometimes called an "Eighth Bend".

Part #	Size	Pkg Qty	Box Qty	Box Wt
70615	1½"	20	100	16
70620	2"	20	100	23

45° SANITARY STREET ELBOW

(HUB X SPIGOT)



Used to change direction from a fitting hub to a pipe. Sometimes called a "Street Eighth Bend".

Part #	Size	Pkg Qty	Box Qty	Box Wt
72714	11/4"		50	7
72716	11/2"	20	100	20
72720	2"	20	100	31
72730	3"		20	18
72740	4"		10	17
72760	6"		1	3

45° STREET ELBOW (HUB X SPIGOT)



Used to change direction from a fitting hub to a pipe. Sometimes called a "Street Eighth Bend".

Part #	Size	•	Box Qty	
72715	11/5"	20	100	15

60° ELBOW (HUB X HUB)



Used to change direction in piping. Sometimes called a "Sixth Bend".

Part #	Size	Pkg Qty	Box Qty	Box Wt
70915	1½"	20	100	20
70920	2"		20	6
70930	3"		20	19
70940	4"		10	16

90° LONG SWEEP ELBOW (HUB X HUB)



Used to change direction in piping. Sometimes called a "Long Turn Quarter Bend".

Part #	Size	Pkg Qty	Box Qty	Box Wt
73815	11/2"	20	100	33
73820	2"	20	80	37
73830	3"		20	28
73840	4"		10	24

90° SANITARY ELBOW (HUB X HUB)



Used to change direction in piping. Sometimes called a "Quarter Bend".

Part #	Size	Pkg Qty	Box Qty	Box Wt
72814	11/4"		50	10
72815	1½"	20	100	23
72820	2"	20	100	37
72821	2" x 1½"	20	100	30
72830	3"		20	24
72840	4"		10	21
72860	6"		1	4

90° SANITARY STREET ELBOW

(HUB X SPIGOT)



Used to change direction in piping. Sometimes called a "Street Quarter Bend".

Street Quarter Bena.				
Part #	Size	Pkg Qty	Box Qty	Box Wt
72906	11⁄4"		50	9
72916	1½"	20	100	22
72926	2"		20	8
72936	3"		20	22
72946	4"		10	20
72966	6"		5	23

90° VENT STREET ELBOW (HUB X SPIGOT)



Used to change direction in "dry" portion of vent piping where water flow is not a consideration. Sometimes called a "Short Turn Street Quarter Bend".

Part #	Size	Pkg Qty	Box Qty	Box Wt
72915	1½"	20	100	19
72920	2"		20	6

90° VENT ELBOW (HUB X HUB)



Used to change direction in the "dry" portion of vent piping where water flow is not a consideration. Sometimes called a "Short Turn Quarter Bend".

Part #	Size	Pkg Qty	Box Qty	Box Wt
70715	1½"	20	100	21
70720	2"		20	6
70730	3"		20	18

REDUCING CLOSET BEND (HUB X HUB)



Used to change direction in piping as well as size.
Usually utilized to convert from 3" horizontal pipe to 4" vertical pipe directly under the toilet.

Part #	Size		Box Wt
72834	4" x 3"	20	32

REDUCING CLOSET BEND (SPIGOT X HUB)



Used to change direction and size of pipe directly into fitting hub, usually a closet flange directly under a toilet. Works well in tight spaces on second floors.

Part #	Size	Box Qty	Box Wt
72934	4" x 3"	20	32

90° LOWHEEL INLET ELBOW

(HUB X HUB X HUB)



Used to connect a branch line or vent at a change of direction in a larger vertical or horizontal pipe.

Part #	Size	Box Qty	Box Wt
73031	3" x 3" x 1½"/2"	20	24
73032	3" x 3" x 2"	20	25
73042	4" x 4" x 2"	15	35

90° ELBOW W/SIDE INLET

(HUB X HUB X HUB/SPIGOT)



Used to connect a branch line or vent at a change of direction in a larger vertical or horizontal pipe. The inlet is constructed to accept a 2" fitting over its outside diameter or 1½" pipe into its inside diameter.

Part #	Size	Box Qty	Box Wt
73131	3" x 3" 1½"/2"	20	24

90° DOUBLE ELBOW (HUB X HUB X HUB)



Ideal for "Back to Back" sink or lavatory installations.

Part #	Size	Box Qty	Box Wt
70716	1½"	50	14
70722	2" x 1½" x 1½"	20	8
70726	2"	25	12
70736	3"	10	18

WYE (HUB X HUB X HUB)



Used when connecting a branch line into a horizontal drain pipe. Also, can be used in conjunction with a Twist -Lok™ plug to provide a cleanout in a drain pipe.

Part #	Size	Box Qty	Box Wt
71014	11/4"	50	18
71015	11/2"	25	11
71020	2"	20	13
71030	3"	20	39
71040	4"	5	18
71060	6"	1	7

REDUCING WYE (HUB X HUB X HUB)



Used when connecting a reducing branch line into a horizontal drain pipe. Also, can be used in conjunction with a TwistLok $^{\text{M}}$ plug to provide a cleanout in a drain pipe.

* Bushing (Part # 70221) provided to reduce to 1½". Bushing (Part # 70264) provided to reduce to 4".

Part #	Size	Pkg Qty	Box Qty	Box Wt
71021	2" x 2" x 1½"		20	11
71023*	2" x 1½" x 1½"		20	12
71031	3" x 3" x 1½"		20	36
71032	3" x 3" x 2"		20	27
71041*	4" x 4" x 1½"	1	10	22
71042	4" x 4" x 2"		10	21
71043	4" x 4" x 3"		10	28
71064*	6" x 6" x 4"		1	9

DOUBLE WYE (ALL HUB)



Used to bring two branch lines into a horizontal drain pipe.

Part #	Size	Box Qty	Box Wt
73415	1½"	20	11
73420	2"	20	15
73430	3"	10	24
73440	4"	5	21

REDUCING DOUBLE WYE (ALL HUB)



Used to bring two branches into a horizontal drain pipe.

Part #	Size	Box Qty	Box Wt
73421	2" x 2" x 1½" x 1½"	20	12
73431	3" x 3" x 1½" x 1½"	10	14
73432	3" x 3" x 2" x 2"	10	15
73442	4" x 4" x 2" x 2"	5	12
73443	4" x 4" x 3" x 3"	5	19

COMBINATION TEE-WYE (HUB X HUB X HUB)



Required in some plumbing code areas to connect a branch line into a vertical drain pipe instead of conventional tee fitting. Also, used to connect a horizontal branch pipe approaching a horizontal drain pipe on the perpendicular. (Can be made from a wye and a "Street Eighth Bend").

Part #	Size	Box Qty	Box Wt
72515	1½"	20	12
72520	2"	10	10
72530	3"	10	25
72540	4"	5	25

REDUCING COMBINATION TEE-WYE

(HUB X HUB X HUB)



Required in some plumbing code areas to connect a branch line into a vertical drain pipe instead of conventional tee fitting. Also, used to connect a horizontal branch pipe approaching a horizontal drain pipe on the perpendicular.

Part #	Size	Box Qty	Box Wt
72521	2" x 2" x 1½"	20	10
72531	3" x 3" x 1½"	10	12
72532	3" x 3" x 2"	10	14
72542	4" x 4" x 2"	10	16
72543	4" x 4" x 3"	5	16

DOUBLE COMBINATION TEE-WYE (ALL HUB)



Required in some plumbing code areas to connect two branch lines into a vertical drain pipe.

Part #	Size	Box Qty	Box Wt
72640	4" - (3 pcs)	2	15

SANITARY TEE (HUB X HUB X HUB)



Used when connecting a branch line into a vertical drain pipe.

dianipipe.			
Part #	Size	Box Qty	Box Wt
71114	11/4"	50	13
71115	11/2"	20	7
71120	2"	20	11
71130	3"	20	33
71140	4"	10	30
71160	6"	1	6

REDUCING SANITARY TEE

(HUB X HUB X HUB)



Used when connecting a branch line into a vertical drain pipe.

* Bushing (Part #70221) provided to reduce to 1½".

Part #	Size	Pkg Qty	Box Qty	Box Wt
71121	2" x 2" x 1½"		20	10
71122	2" x 1½" x 2"		20	11
71123	2" x 1½" x 1½"		20	9
71131	3" x 3" x 1½"		20	19
71132	3" x 3" x 2"		20	21
71141*	4" x 4" x 1½"	1	10	17
71142	4" x 4" x 2"		10	16
71143	4" x 4" x 3"		10	22
71164	6" x 6" x 4"		5	24

SANITARY STREET TEE

(SPIGOT X HUB X HUB)



Used when connecting a branch line into a vertical drain pipe.

Part #	Size	Box Qty	Box Wt
76140	4"	10	27

DOUBLE SANITARY TEE (ALL HUB)



Used to bring two branch lines into a vertical drain pipe.

Part #	Size	Box Qty	Box Wt
73515	1½"	20	8
73520	2"	15	11
73530	3"	10	19
73540	4"	5	18

REDUCING DOUBLE SANITARY TEE

(ALL HUB)



Used to bring two reducing branch lines into a vertical drain pipe.

Part #	Size	Box Qty	Box Wt
73521	2" x 2" x 1½" x 1½"	15	9
73531	3" x 3" x 1½" x 1½"	10	10
73532	3" x 3" x 2" x 2"	10	13
73542	4" x 4" x 2" x 2"	5	9
73543	4" x 4" x 3" x 3"	10	24

TEST TEE W/ CLEANOUT PLUG

(HUB X HUB X FIP)





Used at the base of a vertical drain pipe to provide a cleanout opening flush with the finished wall. PTFE thread tape is recommended for threaded joints.

Part #	Size		Box Qty	Box Wt
71315	11/2"	(Threaded)	10	4
71320	2"	(Threaded)	10	5
71330	3"	(Toe Saver)	10	12
71340	4"	(Toe Saver)	10	23

TEST TEE (HUB X HUB X FIP)



Used in conjunction with a threaded plug to provide a cleanout opening. PTFE thread tape is recommended for threaded joints.

Part #	Size	Box Qty	Box Wt
71416	11/2"	10	3
71421	2"	10	5
71431	3"	10	12
71441	4"	10	21

VENT TEE (HUB X HUB X HUB)



Used primarily in seepage bed piping grids in conjunction with perforated pipe. Used where flow characteristics are not a primary consideration.

Part #	Size	Box Qty	Box Wt
71415	11/2"	10	3
71420	2"	10	5
71430	3"	10	12
71440	4"	10	21

TWO-WAY CLEANOUT TEE

(HUB X HUB X HUB)



Used with a vertical pipe. This fitting provides for above ground level access piping.

Part #	Size	Box Qty	Box Wt
71633	3"	10	22
71644	4"	5	20

WASTE & VENT TEE W/DOUBLE SIDE INLET (ALL HUB)

O



Connect $1\frac{1}{2}$ " or 2" vent or branch waste piping to a vertical drain pipe and receive discharge of a water closet.

*Inlets constructed to accept 2" fitting hub over outside diameter or a 1½" pipe into their inside diameter.

Part #	Size	_	Box Qty	
77031*	3" x 3" x 3" x 1½" / 2" x 1½" / 2"	1	10	17
77042	4" x 4" x 4" x 2" x 2"	1	5	16

SANITARY TEE W/LEFT SIDE INLET

(ALL HUB)



This fitting provides for the connection of 2" vent or branch waste piping to a vertical drain pipe.

Part #	Size	Box Qty	Box Wt
77132	3" x 3" x 3"x 2"	10	17

SANITARY TEE W/RIGHT SIDE INLET

(ALL HUB)



This fitting provides for the connection of 2" vent or branch waste piping to a vertical drain pipe.

Part #	Size	Box Qty	Box Wt
77232	3" x 3" x 3"x 2"	10	17

FITTING CLEANOUT W/THREADED PLUG (SPIGOT X FIP)



Solvent welds into fitting hub to provide access to piping. PTFE thread tape is recommended for threaded joints.

Part #	Size	Pkg Qty	Box Qty	Box Wt
71615	11/2"	20	100	15
71620	2"	20	100	19
71630	3"		20	11
71640	4"		10	10

FITTING CLEANOUT BODY (SPIGOT X FIP)



Solvent welds into fitting hub and adapts to male threaded plug. PTFE thread tape is recommended for threaded joints.

Part #	Size	Pkg Qty	Box Qty	Box Wt
71612	11/4"		50	4
71614	1½"	20	100	11
71619	2"	20	100	14
71629	3"		20	9
71639	4"		10	8
71659	6"		10	20

THREADED PLUG (MIP)



Used to form a removable closure. These threaded plugs offer a corrosion proof alternative to metal plugs. PTFE thread tape is recommended for threaded joints.

Part #	Size	Pkg Qty	Box Qty	Box Wt
71814	11/4"		100	4
71815	11/2"	10	100	5
71820	2"	20	100	7
71830	3"	20	100	17

Part #	Size	Pkg Qty	Box Qty	Box Wt
71840	4"		10	3
71860	6"		10	7

ADJUSTABLE P-TRAP W/UNION & CLEANOUT



Used to prevent passage of sewer gas from the plumbing system into house through the plumbing fixture drain.

Part #	Size	Box Qty	Box Wt
78215	1½"	20	14

ADJUSTABLE P-TRAP W/UNION



Used to prevent passage of sewer gas from the plumbing system into house through the plumbing fixture drain.

Part #	Size	Box Qty	Box Wt
78315	1½"	20	13
78320	2"	25	20

P-TRAP W/CLEANOUT



Used to prevent passage of sewer gas from the plumbing system into house through the plumbing fixture drain.

Part #	Size	Box Qty	Box Wt
78415	11/2"	20	13
78420	2"	20	21

P-TRAP



Used to prevent passage of sewer gas from the plumbing system into house through the plumbing fixture drain.

Part #	Size	Box Qty	Box Wt
78515	11/2"	20	11
78520	2"	20	20
78530	3"	10	30
78540	4"	5	27

U-BEND (HUB X HUB)



Bottom part of trap furnished without cleanout.

Part #	Size	Box Qty	Box Wt
78015	1½"	20	9
78020	2"	20	14
78030	3"	15	27
78040	4"	10	34

CLOSET FLANGE



Part #	Size	Box Qty	Box Wt
75135	4" x 3" HUB	20	15

Solvent welds over 3" Sch. 40 pipe.

Part #	S	ize	Box Qty	Box Wt
75141	4"	HUB	10	8

Solvent welds over 4" Sch. 40 pipe.

"POP-TOP" CLOSET FLANGE





"Pop-Top" feature prevents debris from entering plumbing system prior to setting the toilet.

Part #	Size		Box Wt
75134	4" x 3" HUB	20	16

Solvent welds over 3" Sch. 40 pipe.

Part #	Size	Box Qty	Box Wt
75139	4" x 3" SPIGOT	20	14

Solvent welds into 3" Sch. 40 fitting hub.

Part #	Size	Box Qty	Box Wt
75140	4" HUB	10	9

Solvent welds over 4" Sch. 40 pipe.

CLOSET FLANGE W/METAL RING



This flange has an adjustable metal ring which allows for easy toilet alignment and a special closet bolt holding design for easy toilet mounting.

Part #	Size	Box Qty	Box Wt
75146	4" x 3" SPIGOT	10	9

Solvent welds into 3" Sch. 40 fitting hub.

Part #	Size	Box Qty	Box Wt
75150	4" x 3" HUB	10	9

Solvent welds over 3" Sch. 40 pipe.

Part #	Size	Box Qty	Box Wt
75155	4" HUB	20	16

Solvent welds over 4" Sch. 40 pipe.

Part #	Size	Box Qty	Box Wt
75164	4" SPIGOT	10	8

Solvent welds into 4" Sch. 40 fitting hub.

CLOSET FLANGE W/METAL RING



This flange has an adjustable metal ring which allows for easier toilet alignment. Provides for a simple method of installing closet flange on a cement floor.

Part #	Size	Box Qty	Box Wt
75144	4"/4" x 3" SLAB	10	9

Solvent welds over 3" Sch. 40 pipe.

CLOSET FLANGE SPACER RING



Used to build up existing flange when new flooring or ceramic tile has resulted in flange being at or below floor level.

Part #	Size	Box Qty	Box Wt
75154	4" HUB	25	9

OFFSET CLOSET FLANGE W/ METAL RING



This flange has an adjustable metal ring which allows for easier toilet alignment. Used for mounting toilet base to drain pipe when pipe has been positioned incorrectly in installation.

Part #	Size	Box Qty	Box Wt
75160	4" x 3" HUB	10	10

Solvent welds over 3" Sch. 40 pipe.

UNIVERSAL CLOSET FLANGE WITH STAINLESS STEEL RING



Economical alternative to current mechanical closet flanges. Installs inside 4" cast iron or PVC-DWV pipe.

Part #	Size		Box Qty	Box Wt
75158S	4"	HUB	10	9

CLOSET FLANGE W/STAINLESS STEEL RING



This flange has an adjustable stainless steel ring which allows for easy toilet alignment and a special closet bolt holding design for easy toilet mounting.

Part #	Size	Box Qty	Box Wt
75146S	4" x 3" SPIGOT	20	18

Solvent welds into 3" Sch. 40 fitting hub

Part #	Size	vBox Qty	Box Wt
75150S	4" x 3" HUB	20	18

Solvent welds over 3" Sch. 40 pipe.

TEST CAP (SPIGOT)



Styrene test cap fits into Sch. 40 pipe openings and is used to prevent debris from entering the plumbing system during construction.

Part #	Size	Pkg Qty	Box Qty	Box Wt
70171	1½"	25	100	1
70172	2"	25	50	1
70173	3"		25	1
70174	4"		20	2

PVC ROOF DRAIN ASSEMBLY

(W/GRAVEL GUARD GRATE)



For use on flat roof buildings for roof drainage. Also, for use in ground level drainage applications subject to large amounts of surface debris.

Part #	Size	_	Box Qty	
71460	4" SPIGOT	1	5	18

SHOWER DRAIN W/STAINLESS STEEL GRATE (HUB)



For fiberglass and acrylic built-in shower applications. Includes sealing and friction gaskets for a positive seal to the shower base, and a 2" solvent weld discharge.

Part #	Size	_	Box Qty	
71480	2"	1	5	14